


Luxor 2 | Luxor Leather



Luxor 2



CD-176 Ivory



CD-01 Cream

CD-08 Artisan



CD-04 Parchment



CD-61 Raffia



CD-267 Honey



CD-10 Slippery Rock



CD-05 Bauhaus



CD-264 Nut



CD-59 Nutmeg



CD-221 Peanut



CD-28 Champagne



CD-11 Truffle



CD-23 Hershey



CD-243 Eggplant




CD-12 Quartz



CD-07 Arietta



CD-54 Lead



CD-09 Spun Silver



CD-44 Provence



CD-266 Willow



CD-43 Horizon



CD-42 Navy



CD-57 Imperial



CD-22 Blood Red



CD-34 Flame



CD-291 Clay



CD-30 Ebony

Luxor 2 | Luxor Leather



Ostrich


CD-168 Rust



CD-110 Ghost



CD-104 Cloud



CD-64 Ash



CD-109 Flagstone




CD-111 Sage



CD-67 Taupe



CD-66 Bush



CD-102 Mahogany



CD-112 Iris



CD-108 Indigo



CD-30 Tuxedo



EVC-130 Granite



EVC-131 Steerhide

Midwest Collection

LUXOR 2 & OSTRICH

COMPOSITION

- Poly Carbon Resin, Polyurethane Face, Cotton/Poly Backing
- Weight: 19/20 ozs per linear yard
- Width: 54 inches

PERFORMANCE

- Abrasion: Luxor 2: 1 Mil. Double Rubs, Ostrich: 250,000 Double Rubs
- Tongue Tear: ASTM D5034
- Seam Strength: ASTM D4034
- Colorfastness to sunlight: 1000 hours/AATCC-16A (Carbon/Arc Outdoor)
- Cold crack: -20 F ASTM D2097
- Hydrolysis: 14+ weeks ASTM D3690-02 SECT.6.11



Luxor Leather™
FEEL THE DIFFERENCE

MIDWEST COLLECTION

COMPOSITION

- Polyurethane Surface / Rayon Backing
- Approx. 9.8 oz Per Sq. Yard
- Width: 54 inches

PERFORMANCE

- Abrasion: ASTM D4157/ 250,000 Double Rubs
- Tongue Tear: ASTM D751
- Seam strength: ASTM D1683
- Colorfastness to sunlight: AATCC 16.3, 200 Hours, Grade 4-5
- Cold crack: -20 F ASTM D2097
- Hydrolysis: 14+ weeks ASTM D3690-02 SECT.6.11

F/R RATING

- Passes CAL117(E) | NFPA 260 1 CLASS | MVSS 3022
- **Luxor 2 & Ostrich ONLY:** Can be treated to pass FAR 25.853, ASTM E84, ASTM 162, ASTM 662 & ALL State, federal and international fire codes

MAINTENANCE & CARE

Keep your leather surfaces looking great by routine and proper maintenance.
The following guidelines are recommended:

- Wipe up spills as they occur
- Clean up with mild soap and water
- Thoroughly rinse with water and blot dry with a clean towel
- Air dry